MATERIAL SAFETY DATA SHEET

Corr-Paint CP5000-L Product:

Revision Date: 3/01/2012

1. MATERIAL IDENTIFICATION

Corr-Paint CP5000-L **Product Name:**

Product Description: Slightly Cloudy, Odorless Liquid **Product Use:** High Temperature Binder System

Aremco Products, Inc. Manufacturer:

707-B Executive Blvd.

Valley Cottage, NY 10989

845-268-0039 Telephone:

Emergency Phone: 845-268-0039 or Infotrac (24/7) 800-535-5053

2. COMPOSITION

Ingredient	CAS#	ACGIH TLV (mg/m ³)	OSHA PEL (mg/m ³)
Silicate Solution	1312-76-1	N/E	N/E
Water	7732-18-5	N/A	N/A

1) This product is a liquid mixture and all powders are encapsulated.

2) Exposure values shown for guidance only. Please follow applicable regulations.

3. HAZARDS IDENTIFICATION

Slightly cloudy, odorless liquid. May cause moderate irritation to eyes, skin, and digestive tract. **Emergency Overview:**

Eye Contact: May cause moderate irritation to the eyes. Skin Contact: May cause moderate irritation to the skin.

Mists may cause irritation to upper respiratory track. Inhalation Acute: May cause irritation to mouth, esophagus, and stomach. Ingestion Acute:

Chronic Hazards: No known chronic hazards. Not listed on NTP, IARC or OSHA as carcinogen. Physical Hazards: Spilled material is slippery. Dries to form a glassy film that can cut skin.

HMIS: Health:

Flammability: 0 Reactivity: 0

Personal Protection: С

4. FIRST AID MEASURES

Eye Exposure:

Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek immediate medical attention, preferably with an ophthalmologist. If a physician is not immediately available, eye irrigation should be continued for an additional 15 minutes.

Skin Exposure:

Immediately wipe excess material off skin with a dry cloth then wash with plenty of soap and water for at least 5 minutes. See medical attention if irritation develops or persists. Remove contaminated clothing and shoes and clean thoroughly before re-use.

Remove from immediate source of exposure and assure that victim is breathing. If not breathing, administer cardio-pulmonary resuscitation (CPR). If breathing is difficult, administer oxygen if available. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. If victim is conscious and alert, give 1-2 glasses of water to drink. Do not give anything by mouth to an unconscious person. Seek medical attention immediately. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. Vomiting may occur spontaneously. If vomiting occurs and the victim is conscious, give water to further dilute the chemical.

Medical Conditions Possibly Aggravated by Exposure:

Inhalation of product may aggravate existing chromic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

5. FIRE FIGHTING MEASURES

Flash Point: Not applicable

Flammable Limits: This material is non-combustible.

Extinguishing Media: This material is compatible with all extinguishing media.

Special Fire Fighting Procedures: Firefighters should wear NIOSH/MSHA approved positive pressure breathing apparatus with full face-

piece and full chemical resistant protective clothing. Dike area to prevent runoff and contamination of

water sources. Dispose of fire control water later.

Unusual Fire and Explosion Hazards: This material is non-combustible.

6. ACCIDENTAL RELEASE MEASURES

Personal Protection: Wear chemical goggles, body-covering protective clothing, chemical resistant gloves, and rubber

boots. Use NIOSH approved respirator where mist occurs.

Spill Cleanup: Mop up and neutralize liquid, then discharge to sewer in accordance with federal, state and local

regulations or permits. Flush area with water to complete cleanup. Exercise caution during

neutralization as heat may be generated.

7. HANDLING AND STORAGE

Storage:

Handling: Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Keep container closed.

Promptly clean residue from closures with cloth dampened with water. Promptly clean up spills. Store in an area that is cool, dry, well ventilated, away from combustible material, and away from

ignition sources. Keep containers closed. Store in clean plastic or stainless steel containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use with adequate ventilation. Keep containers closed. Safety shower and eyewash fountain should

be within direct access.

Respiratory Protection: This product is not considered respirable in either the liquid or cured forms. However, if the cured

product is polished, ground or chipped during processing, handling or use, powders may be released as airborne respirable particles. In these instances, appropriate personal protection equipment and local ventilation controls must be employed. If exposure limits are exceeded and local ventilation is unavailable, a supplied-air respirator or a self-contained NIOSH-approved dust and mist respirator is

required.

Skin Protection: Wear body-covering protective clothing and gloves.

Eye Protection: Wear chemical goggles.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical here represent typical properties of this product. Contact Technical Sales for exact specifications.

Appearance: Liquid

Color: Slightly Cloudy Odor: Odorless pH: > 11.0 Specific Gravity, g/cc 1.26 Water Solubility: Soluble Not available Melting Point Range: Boiling Point Range: Not available Vapor Pressure: Not available Vapor Density (air=1): Not available VOC Content, g/l: 0.00

10. STABILITY AND REACTIVITY

Chemical Stability: This material is stable under all conditions of use and storage.

Conditions to Avoid: None.

Materials to Avoid: Gels and generates heat when mixed with acid. May react with ammonium salts resulting in evolution

of ammonia gas. Flammable hydrogen gas may be produced on contact with aluminum, tin, lead,

and zinc.

Hazardous Decomposition Products: None.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity Data: Not available Chronic Toxicity Data: Not available

12. ECOLOGICAL INFORMATION

Ecotoxity: Not tested Environmental Fate: Not tested

Physical/Chemical: Sinks and mixes with water. Only water will evaporate from this material.

13. DISPOSAL CONSIDERATIONS

Disposal Method: Dispose in accordance with federal, state and local regulations and permits.

14. TRANSPORTATION INFORMATION

DOT UN Status: The material is not a regulated hazardous material for transportation.

15. REGULATORY INFORMATION

U.S. Federal Regulations

CERCLA: No CERCLA reportable quantity has been established for this material.

V--/N-

TSCA: All ingredients of this material are listed on the TSCA inventory.

SARA Title III

Sections 302, 304, 313: This product does not contain any substances reportable under these sections.

Sections 311, 312:

Hazard Classes	Yes/No	
Fire Hazard	No	
Reactivity Hazard	No	
Pressure Hazard	No	
Immediate Hazard	No	
Delayed Hazard	No	
•		
International Inventory	<u>Status</u>	
International Inventory Canada (DSL)	<u>Status</u> Yes	
Canada (DSL)	Yes	
Canada (DSL) Europe (EINECS/ELINCS)	Yes Yes	
Canada (DSL) Europe (EINECS/ELINCS) Australia (AICS)	Yes Yes Yes	;

16. OTHER INFORMATION

NFPA: Health:

Flammability: 0
Reactivity: 0

Key Legend Information

ACGIH American Conference of Governmental Industrial Hygienists

ARD International Agency for Research on Cancer

CAS Chemical Abstract Service

CERCLA Comprehensive Environmental Response, Compensation & Liability Act

DSL Domestic Substance List

HMIS Hazardous Materials Identification System

ND Not Determined NE Not Established

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety & Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissable Exposure Limit

RTECS Registry of Toxic Effects of Chemical Substances
SARA Superfund Amendments & Reauthorization Act
SARA Title III Emergency Planning & Community Right to Know Act

SARA Section 302 Extremely Hazardous Substances

SARA Section 304 Emergency Release

SARA Section 311 MSDS/List of Chemicals & Hazardous Inventory

SARA Section 312 Emergency & Hazardous Inventory
SARA Section 313 Toxic Chemicals & Release Reporting

STEL Short Term Exposure Limit TLV Threshold Limit Value TWA Time Weighted Average

Disclaimer: The information contained herein is based on data taken from sources believed to be both current and reliable at the time of publication. Aremoo Products, Inc. makes no warranty, expressed or implied, as to the accuracy of this MSDS and assumes no liability arising from its use by others. Compliance with all applicable Federal, State and Local laws and regulations remains the responsibility of the user.

MATERIAL SAFETY DATA SHEET

Product: Corr-Paint CP5000-P Powder

Revision Date: 1/03/2012

1. MATERIAL IDENTIFICATION

Product Name: Corr-Paint CP5000-P Powder

Product Description: Blue-Grey Odorless Powder
Product Use: High Temperature Protective Coating

Manufacturer: Aremco Products, Inc.

707-B Executive Blvd. Valley Cottage, NY 10989

Telephone: 845-268-0039

Emergency Phone: 845-268-0039 or Infotrac (24/7) 800-535-5053

2. COMPOSITION

Ingredient	CAS#	ACGIH TLV (mg/m ³)	OSHA PEL (mg/m ³)
Zinc Flake (100.0%)	7440-66-6	N/E	N/E

Notes:

1) Exposure values shown for guidance only. Please follow applicable regulations.

3. HAZARDS IDENTIFICATION

Emergency Overview: Grey, odorless powder. Causes irritation to eyes, skin, and digestive tract.

Eye Contact:May cause eye irritation.Skin Contact:May cause skin irritation.

Inhalation Acute: Mists may cause irritation to upper respiratory track. If user operations generate zinc oxide fume,

inhalation of the fume can result in metal fume fever. Characteristics of the signs and symptoms of exposure include unusual metallic taste accompanied by dryness and irritation of the throat, with coughing and labored breathing, feeling of weakness and fatigue, pain in the muscles and joints, and general malaise, Fever then profuse sweating and sometimes convulsions. Recovery is usually complete in 24 to 48 hours. Tolerance to zinc oxide fume can be acquired, however, it is short-lived

and usually lost in a couple of days.

Ingestion Acute: May cause irritation to mouth, esophagus, and stomach.

Chronic Hazards: No known chronic hazards. Not listed on NTP, IARC or OSHA as carcinogen.

Physical Hazards: None.

HMIS: Health: 0

Flammability: 1
Reactivity: 1
Personal Protection: F

4. FIRST AID MEASURES

Eye Exposure:

Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek immediate medical attention, preferably with an ophthalmologist. If a physician is not immediately available, eye irrigation should be continued for an additional 15 minutes.

Skin Exposure:

Immediately wipe excess material off skin with a dry cloth then wash with plenty of soap and water for at least 5 minutes. See medical attention if irritation develops or persists. Remove contaminated clothing and shoes and clean thoroughly before re-use.

Inhalation:

Remove from immediate source of exposure and assure that victim is breathing. If not breathing, administer cardio-pulmonary resuscitation (CPR). If breathing is difficult, administer oxygen if available. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. If victim is conscious and alert, give 1-2 glasses of water to drink. Do not give anything by mouth to an unconscious person. Seek medical attention immediately. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. Vomiting may occur spontaneously. If vomiting occurs and the victim is conscious, give water to further dilute the chemical.

Medical Conditions Possibly Aggravated by Exposure:

Inhalation of product may aggravate existing chromic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

5. FIRE FIGHTING MEASURES

Flash Point: Not applicable

Flammable Limits: This material is combustible. Dust explosion is possible if in powder form and mixed with air. In the

event of fire, toxic fumes can be released. Avoid contact with water.

Extinguishing Media: This material is compatible with carbon dioxide, dry sand, metal fire powders; water and foam are

considered unsuitable extinguishing media.

Special Fire Fighting Procedures: Firefighters should wear NIOSH/MSHA approved positive pressure breathing apparatus with full face-

piece and full chemical resistant protective clothing. Dike area to prevent runoff and contamination of

water sources. Dispose of fire control water later.

Unusual Fire and Explosion Hazards: This material is non-combustible.

6. ACCIDENTAL RELEASE MEASURES

Personal Protection: Wear chemical goggles, body-covering protective clothing, chemical resistant gloves, and rubber

boots. Use NIOSH approved respirator where mist occurs.

Spill Cleanup: Collect spills dry or vacuuming with the vacuum exhaust passing through a high efficiency particulate

arresting (HEPA) filter if exhaust is discharged into the work place. Residues should be discharged in

accordance with federal, state and local regulations.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Avoid breathing dust. Keep container closed. Promptly

clean residue from closures with cloth dampened with water. Promptly clean up spills.

Storage: Store in an area that is cool, dry and well ventilated. Keep containers closed. Store in clean plastic

or metal containers. Keep away from ignition sources.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use with adequate ventilation. Keep containers closed. Safety shower and eyewash fountain should

be within direct access.

Respiratory Protection: If exposure limits are exceeded and local ventilation is unavailable, a supplied-air respirator or a self-

contained NIOSH-approved dust and mist respirator is required.

Skin Protection: Wear body-covering protective clothing and gloves.

Eye Protection: Wear chemical goggles.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical here represent typical properties of this product. Contact Technical Sales for exact specifications.

Appearance:PowderColor:Blue-GreyOdor:OdorlesspH:Not availableMelting Point/Freezing Point:420 CInitial Boiling Point:907 C

Flash Point:

Evaporation Rate:
Flammability:
Vapor Pressure:
Vapor Density:
Relative Density:

Not applicable
1 hPa at 487 C
Not applicable
7.14 g/cm3

Solubility in Water: Very low, pH-depending

Auto-ignition Temperature:480 CDecomposition Temperature:Not applicable

10. STABILITY AND REACTIVITY

Chemical Stability: This material is stable under normal and dry conditions of use and storage.

Materials to Avoid: Acids, bases (such as sodium hydroxide, potassium hydroxide and calcium hydroxide), oxidizing

agents.

Conditions to Avoid: Strong heat.

Possibility of Hazardous Reactions: Violent reactions with oxidizing agents, acids. Hydrogen gas will be released – explosive. Can be

charged electrostatically by swirling, pneumatic transport, pouring, etc...

Hazardous Decomposition Products: This material is combustible. Dust explosion is possible if in powder form and mixed with air. In the

event of fire, toxic fumes can be released such as zinc oxide fumes.

11. TOXICOLOGICAL INFORMATION

Value Unit Species

Acute Toxicity Data: LD50 (oral) >2000 mg/kg bw rat

LD50 (dermal) not available

LC50 (inhal) >5.41 mglL air (4 h) rat

Chronic Toxicity Data: Not available

12. ECOLOGICAL INFORMATION

Short Term Value Duration Species

Ecotoxity (Dissolved Zinc): EC50 (Invertebrates) 0.15-0.5 mg/l 48 h Daphnia magna

EC50 (Algae) 0.150 mg/l 96 h Selenastrum capricornutum

Persistence & Degradability: Not applicable Bioaccumulative Potential: Not applicable

Mobility in Soil: Not applicable endpoint

Results of PBT and vPvB Assessment: Does not apply to inorganic substances

Other Adverse Effects: Not known

13. DISPOSAL CONSIDERATIONS

Disposal Method: Dispose in accordance with federal, state and local regulations and permits.

14. TRANSPORTATION INFORMATION

UN Number: 3077

UN Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O. S. (Zinc Powder, Stabilized)

Transport Hazard Class: 9
Packing Group: ||||

Environmental Hazards: IATA: Yes

IMDG: Marine Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

CERCLA: No CERCLA reportable quantity has been established for this material.

TSCA: All ingredients of this material are listed on the TSCA inventory.

SARA Title III

Sections 302, 304, 313: Zinc, CAS No. 7440-66-6

Sections 311, 312:

Hazard Classes	Yes/No
Fire Hazard	No
Reactivity Hazard	Yes
Pressure Hazard	No
Immediate Hazard	Yes
Delayed Hazard	No
International Inventory	Status
International Inventory Canada (DSL)	Status Yes
Canada (DSL)	Yes
Canada (DSL) Europe (EINECS/ELINCS)	Yes Yes
Canada (DSL) Europe (EINECS/ELINCS) Australia (AICS)	Yes Yes Yes

16. OTHER INFORMATION

NFPA: Health: 1

Flammability: 0 Reactivity: 1

Key Legend Information

ACGIH American Conference of Governmental Industrial Hygienists

ARD International Agency for Research on Cancer

CAS Chemical Abstract Service

CERCLA Comprehensive Environmental Response, Compensation & Liability Act

DSL Domestic Substance List

HMIS Hazardous Materials Identification System

ND Not Determined NE Not Established

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety & Health

NTP National Toxicology Program
OSHA Occupational Safety and Health Administration

PEL Permissable Exposure Limit
RTECS Registry of Toxic Effects of Chemical Substances
SARA Superfund Amendments & Reauthorization Act

SARA Title III Emergency Planning & Community Right to Know Act

SARA Section 302 Extremely Hazardous Substances

SARA Section 304 Emergency Release

SARA Section 311 MSDS/List of Chemicals & Hazardous Inventory

SARA Section 312 Emergency & Hazardous Inventory
SARA Section 313 Toxic Chemicals & Release Reporting

STEL Short Term Exposure Limit TLV Threshold Limit Value TWA Time Weighted Average

Disclaimer: The information contained herein is based on data taken from sources believed to be both current and reliable at the time of publication. Aremoo Products, Inc. makes no warranty, expressed or implied, as to the accuracy of this MSDS and assumes no liability arising from its use by others. Compliance with all applicable Federal, State and Local laws and regulations remains the responsibility of the user.